



Catalogue
____ NOV 2025 ____

On demand / Grinder doser

SR64 E



Colours	
	Matt Black

Technical data		SR64 E
power	W	350
burrs	-	flat
disks diameter	inch / mm	2' 2/4" / 64
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	28.6 / 13
width	inch / mm	9" / 230
height	inch / mm	24' 1/4" / 615
dept	inch / mm	10' 3/4" / 270

On demand / Grinder doser

SR64 EVO



Colours	
	Matt Black

Technical data		SR64 EVO
power	W	450
burrs	-	flat
burrs diameter	inch / mm	2' 2/4" / 64
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	28.6 / 13
width	inch / mm	9" / 230
height	inch / mm	24' 1/4" / 615
dept	inch / mm	10' 3/4" / 270

On demand / Grinder doser

SR64 EVO Pro



Colours	
	Matt Black

Technical data		SR64 EVO Pro
power	W	450
burrs	-	flat
disks diameter	inch / mm	3' 1/4" / 64
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	28.6 / 13
width	inch / mm	9" / 230
height	inch / mm	24' 1/4" / 615
dept	inch / mm	10' 3/4" / 270

On demand / Grind by weight

SR64 EVO Pro Sense



Colours	
	Matt Black

Technical data		SR64 EVO Pro Sense
power	W	450
burrs	-	flat
disks diameter	inch / mm	3' 1/4" / 64
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	28.6 / 13
width	inch / mm	9" / 230
height	inch / mm	24' 1/4" / 615
dept	inch / mm	10' 3/4" / 270

On demand / Grinder doser

SR83 E Pro



Colours

Matt Black

Technical data

SR83 E Pro		
power	W	650
burrs	-	flat
disks diameter	inch / mm	3' 1/4" / 83
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	33 / 15
width	inch / mm	9" / 230
height	inch / mm	26' 2/4" / 670
dept	inch / mm	10' 3/4" / 270

On demand / Grinder by weight

SR83 E Pro Sense



Colours

Matt Black

Technical data

SR83 E Pro Sense		
power	W	650
burrs	-	flat Dark T Burrs
burrs diameter	inch / mm	3.2" / 83
motor speed 50 Hz	rpm	1350
motor speed 60 Hz	rpm	1550
coffee beans hopper capacity	lb / kg	3.3 / 1.5
net weight	lb / kg	42 / 19
width	inch / mm	9.2" / 234
height	inch / mm	26.7" / 680
dept	inch / mm	10.8" / 275

On demand / Grinder doser

SR4 EVO



Colours

Matt Black

Technical data

		SR4 EVO
power	W	414
burrs	-	flat
burrs diameter	inch / mm	2' 2" / 58
motor speed 50 Hz	rpm	1400
motor speed 60 Hz	rpm	1600
coffee beans hopper capacity	lb / kg	0.12 / 0.80
net weight	lb / kg	19.8 / 9
width	inch / mm	6' 3/4" / 169
height	inch / mm	18' 5/8" / 473
dept	inch / mm	9' 2/4" / 240

On demand / Grinder by weight

AllGround Sense



Unleash all the aroma and taste of your favorite coffee with AllGround grinders. The high precision grinding enhances the essence of the bean releasing its purest scent.



AllGround Sense
Result guaranteed by the floating cell with patented anti-jamming system.

The dedicated touchscreen display, makes it easy to select the desired grams for each preparation (espresso, moka, filter) with an outstanding precision in all conditions.



Technical data

		AllGround Sense
power	W	250
burrs	-	flat Dark-T coating
burrs diameter	inch / mm	2' 2/4" / 64
motor speed 50 Hz	rpm	1400
motor speed 60 Hz	rpm	1600
coffee beans hopper capacity	lb / kg	0.55 / 0.25
net weight	lb / kg	19.8 / 9
width	inch / mm	6' 3/4" / 169
height	inch / mm	17' 1/4" / 440
dept	inch / mm	9' 2/4" / 240

For more information about our
coffee machines please contact us
export@sanremomachines.com



SANREMO
COFFEE MACHINES

Sanremo Coffee Machines s.r.l.
Via Giacomo Bortolan 52,
31050 Vascon di Carbonera [TV] – ITALY
T +39 0422 448900

www.sanremomachines.com

Sanremo UK, LTD
6/7 Thurloe Pl, South Kensington,
London SW7 2RX – UK
enquiries@sanremouk.com

www.sanremomachines.com

Sanremo Coffee Machines USA, Inc
99 Grand Street, Unit 20, Moonachie,
New Jersey 07074 – USA
T +1 973 907 3013
alessio.t@sanremous.com
www.sanremomachines.com

Sanremo Coffee Machines s.r.l. has a certified Quality Management System
according to UNI EN ISO 9001:2015 standard.