

ZOE



SANREMO
COFFEEMACHINES

No drama, just coffee



SANREMO **ZOE**

Simple, compact,
solid, and **reliable**.
Zoe is the professional
espresso machine you
can always count on.



Built to last, it features a heat exchanger circuit,
an **AISI 316L stainless steel** boiler, and **advanced electronics**.
With Zoe, tradition meets technological innovation.

Zoe's simplicity expresses a **bold, minimalist design**. Form and function come together in perfect balance, capturing the true essence of every Sanremo machine.



*Where function
meets design*



SANREMO ZOE

“Less is more”

— Ludwig Mies van der Rohe




Space-saving design and **versatility** are its key strengths. A complete range **designed to suit** every setting and workflow.



The **Zoe Compact** version, with a width of just 53 cm, fits seamlessly into any counter.

53 cm
ZOE COMPACT

72 cm
ZOE / 2 GROUPS



The **Zoe Tall** version increases the height of the dispensing spout from the work surface, from 83 mm to 140 mm – ideal for tall cups and mugs.

140 mm

83 mm

TALL HEIGHT

STANDARD HEIGHT

SANREMO ZOE

*A new look on
the outside, the same
soul within*



ZOE

The **Steam System** milk frother has been developed in collaboration with *latte art* professionals to deliver an optimal automatic frothing experience for both dairy and plant-based beverages – simple and intuitive to use.



Create your recipes with the programming display, then start frothing at the **touch of a button**.

No stress. No fuss.



KEY FUNCTIONS

- Simplified user interface: a single function button recalls up to **2 programmable recipes**, with single or double click.
- Integrated control: programming, beverage temperature display, parameters, and system messages are managed via the group display.

- **6th Sense** function: automatically adjusts frothing parameters, ensuring optimal performance for any milk volume.

- **Cold-touch steam wand:** double-wall stainless steel wand construction with integrated temperature sensor.

- Easy cleaning function: steam wand cleaning with water and steam, facilitated by a **removable PEEK steam tip**.

- 24V electronics: with **integrated diagnostics**.

Sanremo Link elevates precision to the next level. Synchronization with the grinder allows real-time adjustment of the grind, ensuring consistently perfect extraction.

The system is compatible with a wide range of grinders, with adjustable grind size both electronically and manually.

Wired connection* ensures quick installation and stable operation in any environment.

*Link Cable optional. Order the right one, depending on grinder model/coffee machine selected.


Sanremo LINK automatically enhances the barista's expertise.

Maximum synchronization, minimum waste.



The **cup tray** adapts to your needs.

The cup rail is available in **standard** and **XL** versions, in either **polycarbonate** or **metal**. The cup tray can also be heated.



The **taller XL cup rail** lets you fit roughly **30% more cups** on the machine than the standard version.

ZOE Finishes

All models are available in **3 group**, **2 group** and **Compact** versions, as well as **Tall** configurations.

TOTAL WHITE

White frame and body panels



WHITE & BLACK

White frame with black body panels



TOTAL BLACK

Black frame and body panels



BLACK & WHITE


Black frame with white body panels



INOX COLLECTION

TOTAL INOX

Satin stainless steel frame with polished stainless steel body panels



Choose the colours and finishes that reflects your brand and style.

BODY PANELS - SPECIAL COLOURS

All models can be customised with side and rear body panels, selected from the available colour palette.

INOX M

SAGE

PETROL

RACING RED

FOREST

CUSTOM

Custom colours and graphics available on request



ZOE Dimensions

Measurements in mm

3 GR



950

2 GR



720

COMPACT



530

COMPACT / 2 GR / 3 GR



512

83

524

COMPACT / 2 GR / 3 GR



570

140

TALL VERSION

ZOE Technical Specifications

STANDARD EQUIPMENT

- High-strength metal frame and body
- Individual group timer display
- Advanced control electronics
- High-efficiency LED spotlights for the work surface
- Electronic pre-infusion (delayed activation of water solenoid during the initial extraction phase)
- Hot water button with programmable double dose
- Purge function for cleaning the group steam tip after each extraction
- Automatic group cleaning cycle
- Custom designed group head
- Service boiler in AISI 316L stainless steel
- Dual-reading pressure gauge

OPTIONAL FEATURES

- Cold-touch steam wand
- Adjustable temperature mixed water
- Electronic cup warmer with temp control
- RS-232 cash register for electronic payment system connection
- External volumetric pump
- Upgraded volumetric pump
- Metal cup rail
- XL cup rail in polycarbonate or metal (not available for Compact)
- Steam System automatic milk frother
- Sanremo Link machine-to-grinder connection

MAIN TECHNICAL DATA	COMPACT / COMPACT TALL	2 GR / 2 GR TALL	2 GR / 2 GR TALL	3 GR / 3 GR TALL
Power Supply Voltage	Single Voltage 230 Vac 50/60 Hz Single Phase		230 Vac 50/60 Hz Single Phase 400 Vac 50/60 Hz Three Phase	
Power Cord	Plug (*)	Flying leads		
Total Power / Boiler Power	2850 W / 2500 W	3000 W / 2700 W	3000 W / 2700 W 3900 W / 3500 W 4300 W / 4000 W 4700 W / 4500 W	5100 W / 4500 W 6100 W / 5500 W 6600 W / 6000 W
Hydraulic Circuit	Heat Exchanger			
AISI 316L Stainless Steel Boiler Capacity / Working pressure	7 L / 1.0 bar	7 L / 1.2 bar		10 L / 1.2 bar
Thermal Regulation	Manual adjustable pressure switch			
Group head Type	Sanremo ring group			
Pump Power / Flow Capacity	250 W / 150 L/h			
Cup Warmer Power (optional)	60 W	200 W		250 W
Net Weight	45 Kg / 49 Kg	55 Kg / 61 Kg		69 Kg / 73 Kg
Shipping Weight	51 Kg / 56 Kg	59 Kg / 63 Kg		97 Kg / 101 Kg

(*) = Check plug type available in your country



*Built for one thing:
a great cup of coffee,
everytime*



ZOE

SANREMO
COFFEEMACHINES

Sanremo Coffee Machines s.r.l.
Via Giacomo Bortolan 52,
31050 Vascon di Carbonera (TV)–ITALY
T +39 0422 448900

Sanremo Coffee Machines USA, Inc
99 Grand Street, Unit 20, Moonachie,
New Jersey 07074 – USA
alessio.t@sanremous.com

Sanremo UK, LTD
6/7 Thurloe Pl, South Kensington,
London SW7 2RX – UK
enquiries@sanremouk.com